RM Partners
West London Cancer Alliance
Hosted by The Royal Marsden NHS Foundation Trust

SELCA
South East London Cancer Alliance

NHS
North Central and East London Cancer Alliance

Case 19: Paclitaxel & Carboplatin

Patient Details

Patient name	Walterina zzTEST White
Hospital number	ARIA0056527
DOB	23/8/73

Disease Information

Primary disease	Ovarian cancer
Stage	
Disease status	
Histology	

Treatment Information

Aim	Disease Control
Line	1st line
Regimen	Paclitaxel & Carboplatin
No. of cycles	6
Response assessment after	

Blood Results

Date	Hb	WBC	Plt	N
29/7/19	114	6.5	297	3.3

Biochemistry

Date	ALT	Bil	Cr	EDTA
29/7/19	32	12	83	96

Hickman Line/PICC Line ☐

MUGA/ECHO ☐

ECG ☐

Lung Function ☐

Hearing ☒

Completed by_____ A Doctor **Date** __29__/_7__/_19__

Discussion Points

CASE 19

Printed Jul 29, 2019 17:51

ICHT 6 East Chemo Day Unit CXH

Diagnosis: **Malignant neoplasm of ovary**
Allergies:
Ordered by: **backup, Mr. backup**
Regimen: **Paclitaxel 175/Carbo 5AUC (EDTA)**

Surname: **zzTEST white**
Forename: **walterina**
ARIA Patient ID **ARIA0056527**
ARIA Patient ID **ARIA0056527**
ARIA Patient ID **ARIA0056527**
Date of Birth: **23 Aug, 1945** Age: **73**
Gender: **Female**
123 hello road london
London w6 8rf

Ht	160 cms	04/09/2018	Wt	65 kg	04/09/2018	BSA	1.70 sq.m	04/09/2018

Consultant: doctor5, train
Visit Provider:

(Rx ID 180202043)

Ordered by: **backup, Mr. backup** Regimen: **Paclitaxel 175/Carbo 5AUC (EDTA)**
Pharmacy Approved by: at:

Chemodispensary Dispensed Medication (Internal Supplied medication)

			PHARMACY				ADMIN	
			Validated	Label	Dispensed	Checked	Checked	Given
Jul 29, 2019 **Paclitaxel 175/Carbo 5AUC (EDTA) Cycle 1**	Day 1	**CHLORPHENAMINE 10 mg injection Intravenous daily bolus over 1 minutes for 1 day in sodium chloride 0.9% w/v 10 mL (1)**						
Jul 29, 2019 **Paclitaxel 175/Carbo 5AUC (EDTA) Cycle 1**	Day 1	**RANITIDINE 50 mg injection Intravenous daily bolus over 5 minutes for 1 day in sodium chloride 0.9% w/v 20 mL (2)**						
Jul 29, 2019 **Paclitaxel 175/Carbo 5AUC (EDTA) Cycle 1**	Day 1	**ONDANSETRON 8 mg injection Intravenous daily continuous over 15 minutes for 1 day in sodium chloride 0.9% w/v 100 mL (3)**						
Jul 29, 2019 **Paclitaxel 175/Carbo 5AUC (EDTA) Cycle 1**	Day 1	**PACLITAXEL (DOSE BANDED) 300 mg (at 175 mg/m2) infusion Intravenous daily continuous over 3 hours for 1 day in sodium chloride 0.9% w/v 500 mL (4)**						
Jul 29, 2019 **Paclitaxel 175/Carbo 5AUC (EDTA) Cycle 1**	Day 1	**CARBOPLATIN (DOSE BANDED) 120.00% 700 mg (at 6 AUC (EDTA)) infusion Intravenous daily continuous over 1 hours for 1 day in glucose 5% w/v 500 mL (5)**						

Printed Jul 29, 2019 17:51

ICHT 6 East Chemo Day Unit CXH

Diagnosis: **Malignant neoplasm of ovary**
Allergies:
Ordered by: **backup, Mr. backup**
Regimen: **Paclitaxel 175/Carbo 5AUC (EDTA)**

Surname: **zzTEST white**
Forename: **walterina**
ARIA Patient ID **ARIA0056527**
ARIA Patient ID **ARIA0056527**
ARIA Patient ID **ARIA0056527**
Date of Birth: **23 Aug, 1945** Age: **73**
Gender: **Female**
123 hello road london
London w6 8rf

Ht	160 cms	04/09/2018	Wt	65 kg	04/09/2018	BSA	1.70 sq.m	04/09/2018

Consultant: doctor5, train
Visit Provider:

(Rx ID 180202043)

Ordered by: **backup, Mr. backup** Regimen: **Paclitaxel 175/Carbo 5AUC (EDTA)**
Pharmacy Approved by: at:

Main Dispensary Dispensed Medication (Pickup Internal Medication)

Date	Drug	Dose	Route	Frequency	No. of Days/ Doses	Date Supplied	Quantity	Disp by	Checked By
29/07/2019-30/07/2019 Paclitaxel 175/Carbo Cycle 1	**DEXAMETHASONE** (4 mg tablet Oral b.d. for 2 days) *Counsel patient to start on day 2* Dose should be taken TWICE daily in the MORNING and at MIDDAY swallowed whole WITH or AFTER food	**4mg**	Oral	b.d. - -	2days /				
29/07/2019-30/07/2019 Paclitaxel 175/Carbo Cycle 1	**ONDANSETRON** (8 mg tablet Oral b.d. for 2 days) Dose should be taken as directed for the relief of nausea and vomiting. Ensure adequate fluid intake whilst on this medication.	**8mg**	Oral	b.d. - -	2days /				
29/07/2019-02/08/2019 Paclitaxel 175/Carbo Cycle 1	**DOMPERIDONE** (10 mg tablet Oral t.d.s. for 5 days PRN) Dose to be taken as directed when required for the relief of nausea and vomiting.	**10mg**	Oral	t.d.s. - -	5days /				

***** End of Report *****